




**Model 560 Scope Tool Analyzer**



All Winslow Model 560 Tool Analyzers are capable of inspecting the following geometries and more



The Model 560 Scope utilizes a right angle scope, "X" axis vernier caliper horizontal for linear measurement, "Y" axis graduated dial for vertical linear measurement and "Z" axis graduated dial for angular measurements.

**Lighting**

Standard: Halogen lamp 24V/20W  
Optional: Fiber optic gooseneck light and light source

**Power Input:** 110V


The Model 560 Scope offers a cost efficient measuring device for the precise inspection of tool geometry characteristics.

The Model 560 Scope comes standard with a 2.5X lens with a working distance of 7.75 inches, a field of view of .470 inch, and total magnification of 15X.


Optional 20X lens has a working distance of 5.50 inches, a field of view of .250 inch, and total magnification of 120X.

Optional 36X lens has a working distance of 2.38 inches, a field of view of .094 inch, and total magnification of 216X.


**560 SCOPE TOOL ANALYZER ACCESSORIES**




**CENTER ASSEMBLY**  
Tool Capacity up to 8 inches long




**GUN DRILL FIXTURE**



**COLLET CHUCK ASSEMBLY**  
Tool Capacity 5/64" to 25/32" (2.0mm – 20mm)



**SMALL TOOL INSPECTION ASSEMBLY**  
Tool Capacity up to 1/4" (can go to 1 1/2" but not recommended)



**SMALL TOOL CHUCK ASSEMBLY**  
Tool Capacity 1/32" to 1/4"



36X lens



20X lens



Certified alignment bar



Triple nose turret

36X, 20X and 10X Lens, Triple Nose Turret, Certified Alignment Bar



"X" axis, "Y" Axis and Rotary "B" Encoders with Read Out